

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("6012150").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:18
S2	8	(crown adj prince) with (node server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 10:33
S4	491	714/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 11:03
S6	1140	714/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 17:32
S7	1320	714/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 18:22
S8	0	714/4.ccls. and ((node with failover) same select\$5 same update)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 17:33
S9	5	714/4.ccls. and ((node with failover) same select\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 18:18
S10	26	714/4.ccls. and ((node with failover)) and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 18:21
S11	443	714/4.ccls. and (workload load)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 18:59

S12	509	714/6.ccls. and (workload load)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 18:34
S13	2	("5787249").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 18:34
S14	0	714/4.ccls. and (select same leader same (congestion workload load))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 18:37
S15	0	714/4.ccls. and (leader same (congestion workload load))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 18:37
S16	30	714/4.ccls. and (select with (congestion workload load))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 18:53
S17	11	failover same criteria same (congestion workload load)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 18:54
S18	182	714/4.ccls. and (busy congest\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:18
S19	4	(select choose determine) with (backup failover) with (node) with (load workload busy congest\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:20
S20	100	(backup failover) with (node) with (load workload busy congest\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:23
S21	8	(criter\$3 with (load busy work workload idle)) and (failover with node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:23

S22	2	("6012150").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 13:08
S23	8	(crown adj prince) with (node server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 13:08
S24	1218	714/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 13:08
S25	1419	714/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 13:08
S26	519	714/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 13:08
S27	0	714/4.ccls. and ((node with failover) same select\$5 same update)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 13:08
S28	5	714/4.ccls. and ((node with failover) same select\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 13:08
S29	27	714/4.ccls. and ((node with failover)) and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 13:08
S30	472	714/4.ccls. and (workload load)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 13:08
S31	553	714/6.ccls. and (workload load)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 13:08

S32	2	("5787249").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 13:08
S33	0	714/4.ccls. and (select same leader same (congestion workload load))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 13:08
S34	0	714/4.ccls. and (leader same (congestion workload load))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 13:08
S35	32	714/4.ccls. and (select with (congestion workload load))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 13:08
S36	13	failover same criteria same (congestion workload load)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 13:08
S37	196	714/4.ccls. and (busy congest\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 13:08
S38	8	(select choose determine) with (backup failover) with (node) with (load workload busy congest\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 13:08
S39	111	(backup failover) with (node) with (load workload busy congest\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 13:08
S40	10	(criter\$3 with (load busy work workload idle)) and (failover with node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 13:08
S41	547	714/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:14

S42	203	714/4.ccls. and (busy congest\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:14
S43	495	714/4.ccls. and (workload load)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:14
S44	591	714/6.ccls. and (workload load)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:14
S45	31	714/4.ccls. and ((node with failover)) and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:14
S46	32	714/4.ccls. and (select with (congestion workload load))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:14